

Mullane, 09/967250

"AF" Amdt., p. 2

CLAIMS AMENDMENTS

1 (Previously amended). A snow stop comprising a base member having an underside, and a snow-restraining member connected to a top side of the base member, wherein the snow stop has a series of holes through and grooves in a cross-hatch configuration on the underside of the base member for ventilation of a suitable adhesive so that, when applied to a roof with the adhesive, "glue-rivets" can form in the holes with cured adhesive.

2 (Previously amended). The snow stop of claim 1, wherein the holes are generally evenly spaced and are connected with the grooves, and the grooves extend to the boundary of the snow stop.

3 (Original). The snow stop of claim 2, wherein a brace supports the snow-restraining member.

4-8 (CANCELED without prejudice or disclaimer).

9 (Hereby amended). The snow stop of claim 3, wherein the base, when viewed from a top position, is substantially in ~~the~~ a form of a rounded square having a rear linear boundary with a length, two side linear boundaries connected and substantially normal to the rear linear boundary, and a front rounded boundary in a form of a convex arc opposing the rear linear boundary and connected to the two side linear boundaries; the snow-restraining member is substantially parallel to ~~a~~ the rear linear boundary ~~having a length opposing a front rounded boundary~~ of the base, is positioned between the rear linear and front rounded boundaries of the base, and extends substantially a distance equal to the length of the rear linear boundary of the base; and the brace is substantially perpendicular to the rear linear

BEST AVAILABLE COPY

Mullane, 09/967250

"AF" Amdt., p. 3

boundary of the base, and extends forward to be connected with the snow-restraining member.

10 (Previously added). The snow stop of claim 1, wherein a rough or textured surface is also present on the underside surface.

11 (Previously added). The snow stop of claim 1, which has a ratio of the snow-restraining member to the base member of about 1:2.

12 (Previously added). The snow stop of claim 1, wherein the base is round and the snow restraining member is included in intersecting, upstanding members at a predetermined angle to each other.

13 (Previously added). The snow stop of claim 12, wherein said angle is normal.

14 (Previously added). The snow stop of claim 13, wherein a snow/water/ice relief opening is in each upstanding member.

15 (Previously added). The snow stop of claim 2, wherein the base is round and the snow restraining member is included in intersecting, upstanding members at a predetermined angle to each other.

16 (Previously added). The snow stop of claim 15, wherein said angle is normal.

17 (Previously added). The snow stop of claim 16, wherein a snow/water/ice relief opening is in each upstanding member.

18 (Previously re-presented claim 4). A snow stop comprising a base member and a snow-restraining member connected to a top side of the base member, wherein the base is round and the snow

NOT AVAILABLE COPY

Mullane, 09/967250

"AF" Amdt., p. 4

restraining member is included in intersecting, upstanding members at a predetermined angle to each other.

19 (Previously re-presented claim 5). The snow stop of claim 18, wherein said angle is normal.

20 (Previously re-presented claim 6). The snow stop of claim 19, wherein said upstanding members have convex, circularly bounded outer boundaries.

21 (Previously added). A snow stop comprising a base member having an underside, and a snow-restraining member connected to a top side of the base member, wherein a series of holes are present through the base and connected with grooves under the base member to provide for ventilation of an adhesive when adhesively applied to a roof and for "glue-rivets" in the holes with cured adhesive.

22 (Previously added). The snow stop of claim 21, wherein a rough or textured surface is also present on the underside surface.

23 (Previously added). The snow stop of claim 21, wherein the grooves are in a cross-hatch configuration, and extend to the boundary of the snow stop.

24 (Previously added). The snow stop of claim 21, wherein the grooves have trapezoidal shapes when viewed along groove length axes.

25 (Previously re-presented claim 7). The snow stop of claim 21, in combination with and adhesively affixed to a roof.

BEST AVAILABLE COPY